



The Development and Validation of Media Exposure to Terrorism Scale: A Mixed-Method Approach

Sanam Younis^{a*}, Humaira Jami^a

a. National Institute of Psychology, Quaid-i-Azam University, Islamabad, Pakistan

Abstract: The purpose of the study is to develop an original, valid, and reliable measure of Media exposure to terrorism (METT) that could adequately measure the effects of METT on the mental health of adolescents exposed to the Army Public School Peshawar terrorist attack through media. Previously available METT measures have some limitations. The scale was developed using a mixed-method approach with a study sample of students aged 12 to 17 years, selected from seven cities across Pakistan. In Phase I, qualitative data acquired based on Focus Group Discussions (FGDs) held with 45 adolescents who had learned about the event through the media, were subjected to content analysis for item generation. Phase II was the tryout and validation of the developed scale. The developed scale was validated through exploratory factor analysis (N = 380), confirmatory factor analysis (N = 332), and tests of convergent validity, contrasted groups, and Cronbach's alpha. The final METT scale is unidimensional ($\lambda > 0.30$) with seven items having high item-total correlation ($r = 0.63 - 0.77$), good alpha reliability ($\alpha = 0.85$), and acceptable model fit (CFI = 0.99, RMSEA = 0.03). The developed scale can be used to assess the impacts of indirect exposure to terrorism and assist in informing policy and educational programs in the given context.

Keywords: Educational institutions, electronic media, scale development, ethnic consideration.

1. Introduction

Educational institutions in Pakistan have faced attacks for more than a decade. During 2009-2012, more than 838 schools were attacked by terrorists in Pakistan, as per the reports of According to a 2014 report published by the Global Coalition to Protect Education from Attack (GCPEA). The Human Rights Commission of Pakistan has reported 505 terrorist attacks on schools in 2009 alone. The Global Terrorism Database has also shared statistics revealing school attacks in Pakistan that were nearly 867 during 2009-2012, leaving 30 students killed and 97 injured ([USSD, 2014](#)). Among these, the one with the most detrimental impact on the Pakistani nation was the attack on the Army Public School Peshawar (APSP). On 16 December 2014, terrorists attacked APSP with a mass casualty of 144, out of which the majority were children and adolescents ([Tribune, 2017](#)). The attack acquired immense attention from the social and electronic media, spreading fear, shock, and terror not only among direct victims but also among those who were indirectly exposed to the incident through the media ([Durrani et al., 2017](#)).

Direct victims received immediate attention from health workers, but those who were indirectly exposed to the incidents were less regarded ([Nawaz et al., 2017](#)). Terrorist attacks on educational institutions had adverse impacts on adolescents for multiple reasons. Adolescents are the most sensitive and vulnerable age group in the context of exposure to terrorism. Firstly, because of lethal terrorist attacks and security threats to educational institutions of adolescents, who are soft targets for terrorists ([Asad Ali Shah et al., 2018](#); [Moscardino et al., 2014](#)). Secondly, Due to the widespread exposure to terrorism via social and electronic media, it becomes challenging for young minds to process and assimilate the information. ([Jenness et al., 2016](#))

Thirdly, because of the disruptions within their immediate surroundings, particularly at home and at school because of terrorist attacks on educational institutes, casting negative impacts on their mental health ([Israel-Cohen et al., 2017](#); [Pat-Horenczyk et al., 2007](#)). Also, adolescents' weak emotional coping skills, abstract thinking, and identity development phase make them more susceptible to developing psychological problems in the face of such traumatic events ([McNeely & Blanchard, 2009](#); [Mulye et al., 2009](#); [Park et al., 2014](#)). Apart

Received 28 Nov 2024; Accepted 10 Feb 2025; Published (online) 26 Feb 2025

Finesse Publishing stays neutral concerning jurisdictional claims published on maps



Attribution 4.0 International (CC BY 4.0)

Corresponding email: sanam.phd@nip.edu.pk (Sanam Younis)

DOI: 10.61363/965sq555

from all these vulnerabilities, a significant portion of Pakistan's population consists of adolescents, which further highlights the need to study the problems and issues our youth are facing in the shadow of terrorism.

Exposure to terrorism, whether direct or indirect, poses a risk to the healthy development of children and adolescents. Direct trauma exposure refers to firsthand experience or witnessing of the traumatic event ([Eisenberg & Silver, 2011](#)). Indirect trauma exposure refers to becoming aware of violent or unexpected deaths, disasters, serious harm, or threats of death or injury through sources such as media, close friends, or family members ([Zimering et al., 2006](#)). While direct exposure has long been emphasized, the effects of indirect exposure to terrorism—especially through the media—gained considerable attention following the 9/11 terrorist attacks ([Garfin et al., 2018](#)). The 9/11 incident acquired immense attention from the media, spreading fear and trauma far and wide ([Pfefferbaum et al., 2016](#)).

Studies revealed that without any direct exposure, extended media exposure to traumatic events predicted significant trauma-related symptoms, leading to poorer mental health ([Butler et al., 2003](#)). Acute stress responses and poorer cardiovascular health have also been found to be significantly positively related to media exposure to terrorism ([Holman et al., 2014](#); [Holman et al., 2008](#)). Thus, it is evident from past literature that Exposure to terrorism-related media content may adversely affect the psychological well-being of children and adolescents and therefore warrants careful attention. Numerous international studies have identified a significant positive relationship between such media exposure and post-traumatic stress symptoms (PTSS). In particular, children and adolescents exposed to media coverage of terrorism have frequently exhibited symptoms such as intrusive recollections and avoidance behaviours ([Garbarino et al., 2015](#)).

Surveys conducted after 9/11 revealed that children who have been exposed to media coverage of terrorist attacks for more than 3 hours have greater perceptions of personal risk, disrupted routine, and fear, which has increased the risks for PTSS ([Busso et al., 2014](#)). Another study, following the Oklahoma City Bombing, has revealed that there has been a significant positive relationship between television and emotional exposure to terrorist attacks and PTSS among adolescents and children ([Pfefferbaum et al., 2014](#)). About PTSS, a study has indicated that intrusion symptoms are observed regardless of the proximity to the epicenter of a terrorist attack, while avoidance symptoms were more prevalent in those who were directly exposed to a terrorist attack ([Somer et al., 2005](#)). From past studies, it has been deduced that media exposure to terrorism plays a significant positive role in inducing PTSS in adolescents and children, irrespective of their geographical area.

2. Need for Scale Development

Keeping in view the primary objective of the study, which is to explore the impact of media exposure to terrorism on adolescents' mental health, a reliable and valid measure is required that could adequately address the issue in an Indigenous context. To the best of the researcher's knowledge, no such measure is available. Studies previously conducted on the topic have focused on a specific incident, such as 9/11 ([Henriksen et al., 2010](#); [Rackham & Lau-Zhu, 2021](#); [Silver et al., 2013](#)). Boston Marathon Bombing ([Busso et al., 2014](#)) and the Oslo Bombing ([Solberg et al., 2015](#)) with which the targeted population could not relate much. These incidents acquired little or no attention from the electronic media of Pakistan; as a result, the targeted population had no knowledge or information about the incidents.

Moreover, the measures used in these studies primarily addressed the issues that specific populations faced in the aftermath of that incident. Thus, those measures did not apply to the indigenous population. Most importantly, studies on the effects of terrorism-related media exposure have focused on events extensively broadcast by local media. Indigenous populations often lack access to these channels or media sources. It has also been found that many of the studies have employed a checklist or a few general statements to probe on the targeted population. Checklists used were specific to the culture in which the studies were conducted ([Becker-Blease et al., 2008](#); [Kennedy et al., 2004](#)). Thus, for the current study, these items were insufficient to cover the entire construction.

Therefore, it was decided to develop a measure that could efficiently measure the effects of terrorism-related media exposure on adolescents' psychological well-being. To study the media exposure to terrorism, it was necessary to focus on a terrorist attack that had received immense coverage from the local media and that people could relate to ([Becker-Blease et al., 2008](#); [Kennedy et al., 2004](#)). In this regard, for the current study, media



coverage of terrorist attacks on APSP was focused, as it has received extensive media coverage for quite a long time.

3. Objectives

The primary objective of this study is to develop and validate a psychometrically robust scale to measure the impact of media exposure to terrorism among Pakistani adolescents, with a specific focus on the terrorist attack on the Army Public School in Peshawar.

4. Method

4.1 Ethical Considerations

Given the sensitivity of the topic under scrutiny and the age group of the targeted population, ethical approval was sought from the Advanced Studies Research Board (ASRB), the educational institute's ethics committee. After obtaining approval, researchers invited schools to participate in the study ([Busso et al., 2014](#)). They were debriefed on the study's purpose and the data collection process. The participants were informed about the instruments selected for data collection, and all questions they raised were clarified.

Before reaching out to students, consent was taken from their parents and school authorities ([Pfefferbaum et al., 2014](#)), ([Somer et al., 2005](#)). The consent form clearly states the study's purpose and data collection process, ensuring that the information collected will be used solely for research and that participants' rights to anonymity, withdrawal, and confidentiality will be respected throughout the study. Most importantly, the consent form assured that the well-being center at the National Institute of Psychology is on board if psychological support is required ([Henriksen et al., 2010](#)), ([Rackham & Lau-Zhu, 2021](#)). The contact information of the researcher and the psychological support center was mentioned in the consent form.

4.2 Mixed-Methodology

To achieve the study's objectives, a sequential mixed-methods research design has been used, with the qualitative phase guiding the quantitative phase (see Table 1). In Phase 1, which was qualitative, FGDs were conducted with the targeted population until saturation was reached for item generation ([Silver et al., 2013](#)). The qualitative data from the FGDs were subjected to content analysis to generate and retain items. Phase 2 of the study is the validation of the developed scale, in which quantitative data were collected via a survey. Statistical packages have been used to analyze quantitative data to establish the scale's validity.

Table 1: Sequential Mixed Method for Scale Development.

Phase	Step	Description	Outcome
Phase 1: Qualitative	FGDs	Conduct FGDs with the targeted population until data saturation.	Insights and themes for item generation.
	Content Analysis	Analyze FGD data to generate initial items for the scale.	The initial pool of scale items.
	Committee Approach for Item Retention	A panel of experts reviews and refines the items based on relevance and clarity.	A finalized set of items for scale development.
Phase 2: Quantitative	Survey Data Collection	Administer the developed scale to a larger sample using surveys.	Quantitative data for validation.
	Statistical Analysis	Analyze data using statistical tools (e.g., reliability testing, factor analysis).	Validated scale with strong psychometric properties.

4.3 Convenient Sampling Technique

To select the study sample, the researcher employed a convenience sampling technique, selecting participants who were at a proximal distance and easy to access ([Solberg et al., 2015](#)). This is a widely used sampling technique in academic settings, helping researchers gather the required data with minimal resources and time.

4.4 Process of Scale Development

4.4.1 Qualitative Phase: Item Generation Through Content Analysis of FGDs

Sample: The FGDs were conducted with a student population selected from various educational institutions in Rawalpindi and Abbottabad. The participants' ages ranged from 15 to 18 years. Participants were drawn from both private and government-sector educational institutions ([Pfefferbaum et al., 2000](#)). The sample comprised 45 students, including 24 males and 21 females, with educational qualifications ranging from matriculation to intermediate level. In line with the study's objectives, specific eligibility criteria were applied. All participants were required to be enrolled in the selected educational institutions. In addition, individuals were excluded if they or any member of their immediate family had directly experienced a terrorist incident. ([Pfefferbaum et al., 2018](#)).

It was also ensured that none of the participants had encountered a traumatic experience during the preceding six months, to be certain that the main effect is due to the independent variable. Additionally, with the help of Parents, teachers, and school authorities, it was confirmed that the participants of the study were not going through any clinically significant mental health issues. In total, six FGDs were conducted (N=45).

Focus Group Guide: A focus group guide was developed from the literature review to gather participants' views and experiences. The questions were mainly aimed at understanding their media exposure to terrorist attacks on APSP. Initially, the guide included 10 open-ended and non-threatening questions designed specifically for facilitating focus group discussions ([Becker-Blease et al., 2008](#)).

Efforts were made to formulate the questions in an impartial and unbiased manner and did not influence participants' responses. The discussion guide began with general engagement questions designed to introduce the topic and help participants feel comfortable. These questions examined the amount of time participants spent watching television or using Facebook each day and their general understanding of terrorism. The next section contained exploratory questions intended to examine participants' experiences in greater depth, such as the type of content they had encountered on television or Facebook concerning the terrorist attack on APSP. At the end of each discussion, participants were asked a concluding question to identify any issues that had not been addressed, including whether they wished to add further comments about media coverage of terrorism. Follow-up prompts were included under the main questions to encourage detailed responses. After each focus group discussion, the guide was reviewed and refined based on the issues that emerged during the session. ([Kennedy et al., 2004](#)).

Additional questions were introduced to explore emerging concerns identified by respondents that were relevant to the study's objectives were incorporated into the original focus group guide. Questions that were repetitive or unsuitable for interactive discussion were removed. By the time the final focus group was completed, the guide included 17 open-ended questions ([Boateng et al., 2018](#)).

5. Procedure

Each focus group included 5 to 13 participants nominated by key individuals, such as institution staff, who identified candidates meeting the inclusion criteria. These nominees were recognized for their respectful communication and willingness to participate for about an hour. To encourage openness, groups were made as homogeneous as possible. The screening process considered participants' environment, individual characteristics, and degree of exposure to terrorism. After eligibility was established, participants received an explanation of the study's objectives and were advised that participation would take approximately 45 minutes. Each potential participant was subsequently contacted to verify their willingness and availability to take part ([Bollen & Lennox, 1991](#)), ([Byrne, 1994](#)). A series of FGDs was conducted till saturation was achieved. A total of 6 focus group discussions were conducted. Each session was facilitated by a research team comprising the principal researcher, a moderator, and an assistant moderator. The moderator and assistant moderator were both enrolled in MPhil programs and had received prior training in facilitating discussions and recording field notes. Before each discussion began, the moderator explained the study's objectives and established the basic



rules for participation. Participants were informed that their identities and responses would remain confidential and anonymous. Their consent was also obtained before using an audio recorder to document the discussion accurately ([Browne, 1993](#)).

5.1 Item Generation: Media exposure to terrorism

The primary purpose was to identify the type of media content the participants were exposed to in the aftermath of the terrorist attack on APSP, which turned out to be a national trauma and acquired immense attention from the media (Television and social media). Therefore, an item pool was generated with the study's objectives in mind ([Comrey & Lee, 2013](#)). The FGDs conducted were subjected to thematic analysis employing an interpretative phenomenological approach. This reveals the major themes and codes reflecting the content that the participants were exposed to because of media exposure to the terrorist attack on APS Peshawar. Once the themes were established, item pools were generated from the relevant codes, transforming qualitative statements into survey items. Initially, 13 items were generated through content analysis that depicted the terrorist attack on APS Peshawar ([Everitt, 1975](#)). Participants mainly highlighted the scenes from the auditorium, injured individuals, the reaction of parents and guardians of children and adolescents who were martyred or injured, and some other sights of the APS Peshawar ([Nunnally, 1978](#)).

5.2 Committee approach

Initially, the pool of items, along with their frequencies and percentages, was presented to a committee comprising three experts with knowledge and understanding of the phenomenon under scrutiny and the methodology of scale development. All items were evaluated for sensitivity, difficulty level, and relevance to the construction of interest, taking the age of the targeted population into account. For item retention, it was decided that items with at least 50% reporting in FGDs would be retained in the initial form of the scale ([Hair et al., 1998](#)).

5.3 Initial Form of Media Exposure to Terrorism Scale

Considering the committee approach and the nature of the items, the initial form of the developed scale reflects the extent to which the targeted population has been exposed to images, explanations, videos, and other details regarding terrorist attacks provided through televised media outlets or Facebook. The initial version of the scale comprised 7 items; the remaining items were excluded due to their low reporting and sensitive nature. A four-point Likert scale, ranging from "never" (0) to "rarely" (1), "sometimes" (2), "often" (3), and "frequently" (4), was used to record the participants' responses ([Field, 2014](#)). Scoring high on the scale indicates higher exposure to media coverage of terrorist attacks on APSP. Low scores indicate that a person had less exposure to the media coverage of terrorist attacks on APSP.

Table 2 illustrates the most frequent images/content that participants reported while describing their media (Television /Facebook) exposure to terrorist attacks on APSP. All the items meet the retention criteria, with a reporting percentage above 50%. The highest frequencies correspond to the images of the auditorium where the incident occurred. Participants also reported that they had been exposed to more explicit images on Facebook, comparatively ([Kline, 1998](#)). Whereas on Television there was extensive media coverage, but the content was not very explicit. Table 2 indicates the items included in the initial form of the scale.

Table 2: Items Retained for Media Exposure to Terrorism Scale (N= 45)

To what extent have you been exposed to the following images or scenes from the APS, Peshawar terrorist attack through media platforms:	f	%
1. Blood on the floor of the auditorium	33	73
2. Chaotic image of auditorium/furniture	33	73
3. Destructed school building	32	71
4. Injured and martyred students	29	64

5. The victim's parents are crying	28	62
6. Books/notebooks with stains of blood	24	53
7. Walls and windows riddled with bullets	24	53

5.4 Quantitative Phase: Try out of the Developed Scale

After developing the measure, it was administered on a small sample of 50 as a try-out. The objective of the tryout was to evaluate whether the participants had been through any emotional difficulty in responding to any of the items on the questionnaire. Also, through an open-ended question, it was asked if they had been through any difficulty in comprehending or responding to the items.

For the try-out, 50 students were selected from various educational institutions in Abbottabad, Rawalpindi, and Islamabad. The participants' age range was 15-17 years ($M = 16.56$; $S.D. = .73$). Results revealed that participants remained emotionally stable while completing the questionnaires and experienced no difficulty comprehending their content ([Birkeland et al., 2017](#)). The results of the tryout validate the developed measure.

5.5 Validation of Developed Measure

Finally, validation and parsimony of the developed measures were established through different methods: 1) inter-item correlation, 2) exploratory factor analysis (EFA) to establish factorial validity, 3) Reliability through Cronbach's Alpha, revealing the inter-consistency of the developed scales, 4) Contrasted group validity, and 5) Convergent validity with measures of theoretically related constructs. The following section discusses in detail the process of scale validation.

5.6 Survey Administration: Gathering Enough Data Sample

Validation was carried out on a sample of 380 adolescents aged 14-17 years ($M = 15.35$; $SD = 0.89$) who were enrolled in certain educational institutes and had never been directly exposed to any act of terrorism. A convenient sampling technique was used, and Participants were recruited from three geographically distinct areas across the country: Khyber Pakhtunkhwa (Abbottabad and Peshawar), Federal (Islamabad and Rawalpindi), and Punjab (Lahore, Sialkot, and Kasur).

The sample size is important in factor analysis. Comrey and Lee (2013) illustrated that for factor analysis, sample sizes of 100, 200, 300, and 500 are generally classified as poor, fair, good, and very good, respectively, while samples of 1,000 or more are considered excellent ([Kline, 1998](#)). Moreover, Everitt (1975) and Nunnally (1978) have recommended that, for conducting EFA, the sample size should be at least 10 times the number of variables under scrutiny. For the METT factor analysis, the sample size is 380, which is adequate for EFA given the criteria.

6. Procedure

Data was collected from various educational institutions in Punjab, Khyber-Pakhtunkhwa, and the Federal Region. Heads of the educational institutes were personally approached to seek permission for data collection. They were briefed about the study, and a booklet comprising the questionnaires to be used in the study was shared with them ([Laufer & Solomon, 2009](#)).

The objective of the research was discussed with the heads, and any queries were resolved. Participants were informed about the estimated time needed to complete the questions in the booklet. After receiving permission from the heads of the educational institutions, informed consent was obtained from both the heads and the parents of students who met the study's inclusion criteria ([Solomon & Lavi, 2005](#)). Students were selected from grades 8th to 2nd year and were assured about the confidentiality of their responses.

The purpose of the study was to provide a briefing to the participants, and booklets were distributed among them. Booklets were collected after participants completed them. In the end, participants and heads of educational institutes were thanked for their cooperation, time, and support. Once the data were collected, the scale validation process began with the Item reduction phase ([Keinan et al., 2003](#)).



6.1 Item Reduction: Ensuring Scale is parsimonious Item-Total Correlation

Primarily, item-total correlations were computed for the study sample (N=380) to examine The association between each item and the overall scale score will be assessed using item-total correlations. This procedure will support the development of a more concise scale by removing items that show weak correlations with the total score.

A parsimonious scale increases the participant's ability to complete the survey questionnaire without suffering survey fatigue, as it includes an optimal number of items ([Stuber et al., 2006](#)). Table 3 shows the item-total correlations for the Media exposure to terrorism scale.

Table 3: Item-total Correlations of Initial Form of Media Exposure to Terrorism Scale (N=380)

Item no	R
1	.77**
2	.77**
3	.73**
4	.63**
5	.65**
6	.67**
7	.71**

**p < .01.

Results in Table 3 showed that all the items are highly correlated to the total score of the scale. Hence, with the optimal number of items, the next step was factorial validation through Exploratory factor analysis. (EFA).

6.2 Exploratory factor analysis for METT Scale

EFA was conducted on a sample of 380 to confirm the probable factor structure for the developed questionnaires. EFA examined the relationships among variables, the one-dimensionality of the theoretical construct, and construct validity. It was carried out using AMOS 21. In EFA, one of the main decisions is the choice of rotation, which maximizes high item loadings and minimizes low ones, thereby producing a more interpretable and simpler solution. The selection of the rotation depends upon the fact that items are related (Oblique) or not (Orthogonal).




Figure 1: Scree plot Media exposure to terrorism scale.

In this vein, the item-total correlations in Table 2 were significant. Thus, because the items are correlated, oblique (oblimin) rotation was selected for the EFA using Principal Component Analysis (PCA). Before extracting the factors, the Kaiser-Meyer-Olkin (KMO) Measure of Sampling Adequacy and Bartlett's Test of Sphericity were used to assess the suitability of the data for factor analysis.

The KMO index ranges from 0 to 1, with a value of 0.50 considered suitable for factor analysis. Bartlett's Test of Sphericity should be significant ($p < .05$) for factor analysis to be suitable.

Results revealed that measures of sampling adequacy confirm the suitability of the data for factor analysis, as the KMO is .84, within the acceptable range. Likewise, the significance ($p < .00$) of Bartlett's test of sphericity $\chi^2(336) = 852.72$ indicated that the sample is adequate for EFA. Further factor loadings were calculated for each item, which are shown in Table 3, along with Eigenvalue, percentage of variance, and cumulative variance.

The scree plot of METT in Figure 1 gave a clear indication of one dimension of the construct in the current context. The item loadings of the factors were highly correlated; therefore, items were analyzed by force to a one-factor solution, as the scree plot also suggested. Based on the screen plot's point of inflection, factor loadings, and the percentage of variance explained, a single-factor solution was retained

Table 4: Factor Loadings, Eigen Value, Percentage of Variance Explained, and Accumulative Variance Explained by One Factor Solution of Media Exposure to Terrorism Questionnaire Urdu Version (N=380).

Items	Factor Loadings
1	0.77
2	0.78
3	0.73
4	0.63
5	0.66
6	0.67
7	0.69
Eigen Value	3.50
Percentage of Variance Explained	50.08
Accumulative Percentage of Variance	50.08

In Table 4, the only factor so achieved explained an accumulated variance of 50.08 %. Along with this item, loading was within the acceptable range (.30). Therefore, the Media Exposure to Terrorism Scale (MET) was treated as a unidimensional scale with 7 items measuring media exposure to terrorism in Pakistan.

6.3 Confirmatory Factor Analysis (CFA) for METT Scale

CFA with maximum likelihood was conducted on an independent sample of 332 individuals with the help of the AMOS 22 statistical package.

The aim was to test whether the unidimensional METT model could be replicated in an independent sample. Various indices were generated to test this model, as represented in Table 5.

Table 5: Confirmatory Factor Analysis (Indices of Model Fit) for Media Exposure to Terrorism

Indices	$\chi^2(df)$	χ^2/df	GFI	NFI	CFI	IFI	RMSEA
M 1	49.21(14)	3.15	.96	.90	.93	.93	.08



M 2	15.82(12)	1.32	.98	.97	.99	.99	.03
-----	-----------	------	-----	-----	-----	-----	-----

Scale (N = 332)

Note. $\chi^2(df)$ = chi-square; χ^2/df = normed chi-square; GFI = Goodness of Fit Index; CFI = Comparative Fit Index; IFI = Incremental Fit Index; RMSEA = Root Mean Squared Error of Approximation.

M1 = Default Model; M2 = After adding error covariance.

The Model 1 of the present study (default model) shows that most of the indices of model fit were in an acceptable range except χ^2/df , NFI, and RMSEA, as per conventions, which state that for a model to be considered acceptable, NFI should be greater than .90 (Byrne, 1994), RMSEA value should be less than .08 (Browne, 1993) and χ^2/df value should be less than 2 or 3 (Ahern et al., 2002).

Model 2 shows the improved model fit indices obtained after covering the error terms of certain items with the highest modification indices. Thus, covariances were drawn between the error terms of item 1 (Blood on the floor of the auditorium) and item 2 (Chaotic image of auditorium/furniture); as well as between item 1 and item 6 (books/notebooks with images of blood).

In the case of items 1 and 6, these correlations may be due to the mention of the word 'blood' in both. As Bollen & Lennox (1991) have suggested, items with similar wording or those that occur next to each other in a scale can exhibit correlated errors.




Figure 2: Measurement Model of Media Exposure to Terrorism Scale

Figure 2 represents the graphical picture of the unidimensional measurement model of METT. The covariances between the error terms are shown. It is evident from Figure 2 that all items possess factor loadings greater than .40, which is a convention set by (Solberg et al., 2015). Thus, the factor structure of METT, as proposed by EFA, has been confirmed through a CFA on an independent sample (Steffen & Fothergill, 2009).

To establish convergent validity, the parochiality of adolescents was measured using the prosocial behavior subscale of the Strengths and Difficulties Questionnaire. In contrast, PTSS were assessed using a short version of the CRIES. The results revealed that METT is significantly positively related to both the prosocial behavior

of individuals ($r = .21^{**}$, $p = \leq .00$) and PTSS ($r = .24^{**}$, $p = \leq .00$) as evident from Scatter plot 1. Based on statistical analysis and scatter plot illustration, it can be stated to confirm that the newly developed instrument demonstrates adequate validity and reliability and effectively fulfils its intended purpose.




Figure 3: Comparing the METT scores of male and female
Convergent Validity: Correlations with METT Scores




Figure 4: Illustrating the convergent validity of the METT scale

7. Reliability

Furthermore, the alpha reliability of the METT scale was also calculated. Results revealed that the final form of the developed scale, the METT scale, has a good level of alpha ($\alpha = 0.83$). After validating the development measures through factorial validity and establishing their internal consistency through item-total correlations and Cronbach's Alpha, the validity of the developed scale was further strengthened by contrasted-group and convergent validity.



7.1 Contrasted Groups

The construct validity of the developed METT scale has been further established through contrasted groups. It is evident from past studies that media exposure to terrorism impacts males and females differently ([Brown et al., 2008](#)), ([Penner et al., 2005](#)). Keeping this fact in mind, the researcher investigated differences in METT scores between male and female participants, as they were expected to differ when indirectly exposed to terrorism through the media (Figure 3). Consistent with past literature, there was a significant difference between the mean scores of male participants ($M = 18.59$, $S.D. = 6.06$) and female participants ($M = 21.00$, $S.D. = 5.10$) on the METT scale. Females scored significantly higher on the METT scale than male participants, as indicated in the following bar graph.

7.2 Convergent Validity

Additionally, the convergent validity of METT was established by estimating the correlation coefficient between METT and prosocial behavior and METT and Post-traumatic stress symptoms (Figure 4). As indicated by the past literature, METT is significantly positively related to prosocial behavior and PTSS among the most significant scents ([Staub, 2005](#)).

8. Discussion

The Media Exposure to Terrorism Scale was developed to address shortcomings of prior measures that were not appropriate or relevant to the study's target population. Earlier measures tended to focus on specific incidents, making them less applicable to the participants in the current study ([Vollhardt, 2009](#)), ([Barnett et al., 1987](#)). Furthermore, there was a lack of standardized tools to assess the effects of media exposure to terrorism, as existing instruments were mostly checklists designed for cultural settings in which the research was conducted ([Gillen, 2005](#)). To our knowledge, there was no established measure available to assess the effects of media exposure to terrorism on the mental health of adolescents within the Pakistani cultural framework. As a result, the decision was made to develop a scale that is both culturally relevant and comprehensive to effectively evaluate this impact.

The process of scale development involved a mixed-methods research approach: items were generated from the content analysis of FGDs, followed by a quantitative phase in which the developed items were tested and validated. Zhou (2019) found that a sequential mixed-methods research design is the most suitable and reliable approach for scale development. All the codes related to the media exposure to terrorism were carefully analyzed. The pool of items was constructed from the related codes, which were then subjected to a rigorous approach in which a panel of experts carefully evaluated each item, keeping in view their relevance and appropriateness for the targeted population, as guided.

Supporting this, a study found that panel reviews for item generation validate the instrument's content. Based on the panel review and retention criteria, which selected items with response percentages above 50%, 7 items were selected for the Media exposure to terrorism scale.

EFA was conducted on a sample of 380 to establish the construct validity of the developed scale. Furthermore, measures of sampling adequacy confirmed the suitability of the sample for EFA, as indicated by the KMO and Bartlett's test of sphericity. For the Media exposure to terrorism scale, oblique rotation was selected because the items are correlated. Results revealed a one-factor solution for Media exposure to terrorism, based on Eigenvalue > 1 and the scree plot.

Items on this scale were highly correlated, indicating that the construction under scrutiny is homogeneous. The tentative factor structure revealed by the EFA was further confirmed by the CFA, in which all model fit indices (CFI, IFI, GFI, NFI, RMSEA) were within acceptable ranges. The Cronbach's alpha reliability value ($\alpha = 0.83$) also confirms that the scale has good internal consistency. The construct validity of the METT was further confirmed through a contrasted group where it was expected that males and females would score differently on the media exposure to terrorism scale, considering the Indigenous context.

The results revealed that girls scored higher on METT as compared to boys. The results are supported by past studies, such as Pfeffer, indicating that females prefer to receive information about the disaster via electronic

media compared to males. Moreover, in Pakistani culture, females are comparatively less outgoing and mostly confined to their homes. Thus, they have a high potential to get exposed to media coverage about the terrorist attack on APS Peshawar, comparatively. This fact is further proved by exploring the moderating effect of gender on METT and intrusion symptoms. Furthermore, establishing the convergent validity of the developed scale, the study revealed that METT may induce PTSS among the targeted population. Empirically, it has been tested and confirmed in past studies to be significantly positively related to PTSS in adolescents and children ([Gillen, 2005](#)). The studies conducted after the 9/11 terrorist attack, the Oslo Bombings, the Boston Marathon Bombing, and the Oklahoma school incident have revealed that indirect exposure to terrorism through media and close relatives has induced post-traumatic stress symptoms among adolescents and children ([Costa et al., 2009](#)). The relationship between METT and prosocial behavior as an effect of media exposure to terrorist attacks on APS was also assessed to establish construct validity through convergent validity. A statistically significant positive association was observed between METT and participants' prosocial behavior. Literature supports the notion that indirect exposure to terrorism or any other trauma can potentially instigate and promote prosocial behavior in the targeted population ([Vollhardt, 2009](#)).

Exposure to trauma or adversity instigates a sense of responsibility and commitment to help others rather than a hostile attitude toward them ([Costa et al., 2009](#)). Indirect exposure to terrorism is significantly positively related to prosocial behavior because it assists in relieving one's suffering after a traumatic event. Moreover, prosocial behavior shifts one's attention from self to others and promotes self-efficacy and competency ([Martínez, 2018](#)). Thus, further confirming the construct validity of the METT. Overall, METT is found to be a valid and reliable scale for measuring the construct of interest.

9. Implications and Limitations

The scale can aid psychologists and researchers in determining the impact of media exposure to terrorism on the mental health of children and adolescents. This is crucial because frequent exposure to violent and upsetting material can exacerbate post-traumatic stress symptoms, including anxiety and panic. Moreover, the results of the scale may offer insightful information to parents, educators, and politicians regarding the possible drawbacks of providing unrestricted access to violent or graphic content related to terrorism. This knowledge can help establish rules for young audiences' media exposure to delicate subjects and regulate their consumption of age-appropriate content. This can assist in providing tailored therapies to individuals who are more likely to experience mental health problems because of recurrent indirect exposure to terrorism.

The sample size is not large enough to ensure the true representation of the targeted population. This has hampered the generalizability of the study's results. Since the sample was not chosen at random, the inherent bias of convenience sampling and the risk of over- or under-representation of certain groups within the sample were present. Future studies are suggested to incorporate random sampling techniques to enhance the generalizability of results and reduce sample bias ([Zimering et al., 2006](#)).

10. Conclusion

Conclusively, the Media Exposure to Terrorism scale is a valid and reliable measure that can inform interventions, guide media-use guidelines, and advance our understanding of how media affects young minds in a society that is becoming increasingly interconnected. It has been found from the FGDs that children and adolescents have been exposed to heart-wrenching footage and images about terrorist attacks on APS Peshawar that could potentially affect their mental health. Therefore, there should be laws that regulate media broadcasting without compromising the media's independence.

Funding

This research did not receive any funding.

Data availability

The datasets generated during and/or analyzed during the current study are available from the corresponding author on reasonable request.

Ethics approval and consent

Not applicable. This study uses publicly available, de-identified secondary data and does not involve human subjects participants or personal information.



Competing interests

The authors declare no competing interests.

References

- [USSD], U. S. D. (2014). Country reports on terrorism 2013. *Washington, DC*.
- Ahern, J., Galea, S., Resnick, H., Kilpatrick, D., Bucuvalas, M., Gold, J., & Vlahov, D. (2002). Television images and psychological symptoms after the September 11 terrorist attacks. *Psychiatry: Interpersonal and Biological Processes*, 65(4), 289-300.
- Barnett, M. A., Tetreault, P. A., & Masbad, I. (1987). Empathy with a rape victim: the role of similarity of experience. *Violence & Victims*, 2(4).
- Becker-Blease, K. A., Finkelhor, D., & Turner, H. (2008). Media exposure predicts children's reactions to crime and terrorism. *Journal of Trauma & Dissociation*, 9(2), 225-248.
- Boateng, G. O., Neilands, T. B., Frongillo, E. A., Melgar-Quinonez, H. R., & Young, S. L. (2018). Best practices for developing and validating scales for health, social, and behavioral research: a primer. *Frontiers in public health*, 6, 149.
- Bollen, K., & Lennox, R. (1991). Conventional wisdom on measurement: A structural equation perspective. *Psychological bulletin*, 110(2), 305.
- Browne, M. W. (1993). Alternative ways of assessing model fit. *Testing structural equation models/Sage*.
- Butler, A. S., Panzer, A. M., & Goldfrank, L. R. (2003). Understanding the psychological consequences of traumatic events, disasters, and terrorism. *Preparing for the psychological consequences of terrorism: a public health strategy*.
- Byrne, B. M. (1994). *Structural equation modeling with EQS and EQS/Windows: Basic concepts, applications, and programming*. Sage.
- Comrey, A. L., & Lee, H. B. (2013). *A first course in factor analysis*. Psychology press.
- Costa, N. M., Weems, C. F., & Pina, A. A. (2009). Hurricane Katrina and youth anxiety: The role of perceived attachment beliefs and parenting behaviors. *Journal of anxiety disorders*, 23(7), 935-941.
- Durrani, A., Mahsood, N., Ali, I., Kibria, Z., & Imtiaz, A. (2017). Psycho-social impact of Army Public School terrorist attack on high school children in District Peshawar, Khyber Pakhtunkhwa, Pakistan. *Khyber Medical University Journal*, 9(3), 130-134.
- Eisenberg, N., & Silver, R. C. (2011). Growing up in the shadow of terrorism: youth in America after 9/11. *American Psychologist*, 66(6), 468.
- Field, A. (2014). *Bundle: Field: Discovering Statistics Using IBM SPSS Statistics 4e+ SPSS Version 22.0*. Sage Publications, Incorporated.
- Garbarino, J., Governale, A., Henry, P., & Nesi, D. (2015). Children and Terrorism. *Social Policy Report*, 29(2).
- Gillen, G. (2005). Positive consequences of surviving a stroke. *The American Journal of Occupational Therapy*, 59(3), 346-350.
- Hair, J., Anderson, R. E., Tatham, R. L., & Black, W. C. (1998). Canonical correlation analysis. *Multivariate data analysis*, 768.
- Henriksen, C. A., Bolton, J. M., & Sareen, J. (2010). The psychological impact of terrorist attacks: examining a dose-response relationship between exposure to 9/11 and Axis I mental disorders. *Depression and anxiety*, 27(11), 993-1000.
- Holman, E. A., Garfin, D. R., & Silver, R. C. (2014). Media's role in broadcasting acute stress following the Boston Marathon bombings. *Proceedings of the National Academy of Sciences*, 111(1), 93-98.
- Holman, E. A., Silver, R. C., Poulin, M., Andersen, J., Gil-Rivas, V., & McIntosh, D. N. (2008). Terrorism, acute stress, and cardiovascular health: A 3-year national study following the September 11th attacks. *Archives of general psychiatry*, 65(1), 73-80.
- Israel-Cohen, Y., Kashy-Rosenbaum, G., & Kaplan, O. (2017). A study of subjective well-being, resilience, and risk of PTSD among Israeli adolescents exposed to terrorism.
- Jenness, J. L., Jager -Hyman, S., Heleniak, C., Beck, A. T., Sheridan, M. A., & McLaughlin, K. A. (2016). Catastrophizing, rumination, and reappraisal prospectively predict adolescent PTSD symptom onset following a terrorist attack. *Depression and anxiety*, 33(11), 1039-1047.
- Keinan, G., Sadeh, A., & Rosen, S. (2003). Attitudes and reactions to media coverage of terrorist acts. *Journal of community psychology*, 31(2), 149-165.

- Kennedy, C., Charlesworth, A., & Chen, J.-L. (2004). Disaster at a distance: Impact of 9.11. 01 televised news coverage on mothers' and children's health. *Journal of Pediatric Nursing*, 19(5), 329-339.
- Martínez, E. (2018). " Shall I feed my daughter, or educate her?": barriers to girls' education in Pakistan. Human Rights Watch.
- McNeely, C., & Blanchard, J. (2009). *The teen years explained: A guide to healthy adolescent development*. Jayne Blanchard.
- Mulye, T. P., Park, M. J., Nelson, C. D., Adams, S. H., Irwin Jr, C. E., & Brindis, C. D. (2009). Trends in adolescent and young adult health in the United States. *Journal of Adolescent Health*, 45(1), 8-24.
- Nawaz, R., Nawaz, S., Rahman, S. U., & Khattak, M. H. (2017). POST TRAUMATIC STRESS DISORDERS AMONG STUDENTS AFTER ARMY PUBLIC SCHOOL PESHAWAR ATTACK 2014. *Journal of Medical Sciences*, 25(4), 437-441.
- Nunnally, J. C. (1978). Psychometric theory. 2. In: New York: McGraw-Hill.
- Park, M. J., Scott, J. T., Adams, S. H., Brindis, C. D., & Irwin Jr, C. E. (2014). Adolescent and young adult health in the United States in the past decade: little improvement and young adults remain worse off than adolescents. *Journal of Adolescent Health*, 55(1), 3-16.
- Pat-Horenczyk, R., Peled, O., Daie, A., Abramovitz, R., Brom, D., & Chemtob, C. M. (2007). Adolescent exposure to recurrent terrorism in Israel: Posttraumatic distress and functional impairment. *American Journal of Orthopsychiatry*, 77(1), 76-85.
- Penner, L. A., Dovidio, J. F., Piliavin, J. A., & Schroeder, D. A. (2005). Prosocial behavior: Multilevel perspectives. *Annu. Rev. Psychol.*, 56(1), 365-392.
- Pfefferbaum, B., Newman, E., Nelson, S. D., Nitiéma, P., Pfefferbaum, R. L., & Rahman, A. (2014). Disaster media coverage and psychological outcomes: descriptive findings in the extant research. *Current psychiatry reports*, 16(9), 464.
- Pfefferbaum, B., Nitiéma, P., Pfefferbaum, R. L., Houston, J. B., Tucker, P., Jeon-Slaughter, H., & North, C. S. (2016). Reactions of Oklahoma City bombing survivors to media coverage of the September 11, 2001, attacks. *Comprehensive psychiatry*, 65, 70-78.
- Pfefferbaum, B., Seale, T. W., McDonald, N. B., Brandt Jr, E. N., Rainwater, S. M., Maynard, B. T., Meierhoefer, B., & Miller, P. D. (2000). Posttraumatic stress two years after the Oklahoma City bombing in youths geographically distant from the explosion. *Psychiatry*, 63(4), 358-370.
- Pfefferbaum, B., Tucker, P., Pfefferbaum, R. L., Nelson, S. D., Nitiéma, P., & Newman, E. (2018). Media effects in youth exposed to terrorist incidents: A historical perspective. *Current psychiatry reports*, 20(2), 11.
- Rackham, L. A., & Lau-Zhu, A. (2021). Taxing working memory to modulate mental imagery of the 9/11 terrorist attacks following media exposure during childhood: a pilot study in young adult UK residents. *Anxiety, Stress, & Coping*, 34(4), 423-436.
- Solberg, Ø., Blix, I., & Heir, T. (2015). The aftermath of terrorism: posttraumatic stress and functional impairment after the 2011 Oslo bombing. *Frontiers in psychology*, 6, 1156.
- Steffen, S. L., & Fothergill, A. (2009). 9/11 volunteerism: A pathway to personal healing and community engagement. *The Social Science Journal*, 46(1), 29-46.
- Stuber, J., Resnick, H., & Galea, S. (2006). Gender disparities in posttraumatic stress disorder after mass trauma. *Gender Medicine*, 3(1), 54-67.
- Tribune, T. E. (2017). Militant attacks on schools causing devastating effects on Pakistani society: HRW. (2017). Retrieved 1 March 2021. from <https://tribune.com.pk/story/1366893/militant-attacks-schools-causing-devastating-effects-pakistani-society-hrw>.
- Vollhardt, J. R. (2009). Altruism born of suffering and prosocial behavior following adverse life events: A review and conceptualization. *Social Justice Research*, 22(1), 53-97.
- Zimering, R., Gulliver, S. B., Knight, J., Munroe, J., & Keane, T. M. (2006). Posttraumatic stress disorder in disaster relief workers following direct and indirect trauma exposure to Ground Zero. *Journal of Traumatic Stress: Official Publication of The International Society for Traumatic Stress Studies*, 19(4), 553-557.